

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	7	L7 AND (measur\$4 NEAR20 dimension\$4)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 13:56
L7	9422	((field\$4 NEAR3 effect\$4 NEAR3 transistor\$4) OR FET OR MOSFET) AND etch\$4	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 13:56
L3	612	L2 AND (measur\$4 NEAR20 dimension\$4)	US-PGPUB; USPAT	OR	OFF	2005/10/19 13:56
L2	37371	((field\$4 NEAR3 effect\$4 NEAR3 transistor\$4) OR FET OR MOSFET) AND etch\$4	US-PGPUB; USPAT	OR	OFF	2005/10/19 13:56
S14	12284	((438/5,9,14,16,714,719,720,721,723,724,740,743,744) or (430/5) or (216/60,67,79)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/19 13:55
L6	15	L5 AND L1	US-PGPUB; USPAT	OR	OFF	2005/10/19 13:55
L5	43	L4 AND optical\$4	US-PGPUB; USPAT	OR	OFF	2005/10/19 13:55
L4	101	L3 AND (over\$1etch\$4 OR (over\$4 NEAR3 etch\$4))	US-PGPUB; USPAT	OR	OFF	2005/10/19 13:55
L1	12672	((438/5,9,14,16,714,719,720,721,723,724,740,743,744) or (430/5) or (216/60,67,79)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/19 13:55
S22	43	S21 AND optical\$4	US-PGPUB; USPAT	OR	OFF	2005/10/17 18:22
S21	101	S20 AND (over\$1etch\$4 OR (over\$4 NEAR3 etch\$4))	US-PGPUB; USPAT	OR	OFF	2005/10/17 18:22
S20	612	S19 AND (measur\$4 NEAR20 dimension\$4)	US-PGPUB; USPAT	OR	OFF	2005/10/17 18:22
S19	37338	((field\$4 NEAR3 effect\$4 NEAR3 transistor\$4) OR FET OR MOSFET) AND etch\$4	US-PGPUB; USPAT	OR	OFF	2005/10/17 18:21
S16	498	S15 AND (measur\$4 WITH dimension\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 18:21
S15	31958	(field\$4 WITH effect\$4 WITH transistor\$4) AND etch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 18:21

S18	6	S14 AND S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 11:03
S17	25	S16 AND (measur\$4 WITH dimension\$4 WITH optical\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 11:00
S1	20	((("4,767,496") or ("5,798,529") or ("5,926,690") or ("5,948,203") or ("6,004,706") or ("6,027,842") or ("6,161,054") or ("6,245,581") or ("6,424,417") or ("6,486,492"))). PN. or (2002/0171828).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 10:57
S13	48	S10 AND ((hard\$4 WITH mask\$4) WITH oxide\$4 WITH nitride\$4 WITH oxy\$1nitride\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:50
S12	5	S10 AND ((hard\$4 WITH mask\$4) WITH oxide\$4 WITH nitride\$4 WITH oxy\$1nitride\$4 WITH carbon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:50
S11	48	S10 AND ((hard\$4 WITH mask\$4) WITH oxide\$4 WITH nitride\$4 WITH oxy\$1nitride\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:50
S10	1878	S9 AND (hard\$4 WITH mask\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:37
S9	31854	(field\$4 WITH effect\$4 WITH transistor\$4) AND etch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:22

S2	31854	(field\$4 WITH effect\$4 WITH transistor\$4) AND etch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:21
S8	4	("5867276" "5877276" "5880838" "6245584").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 17:23
S7	6	S1 AND S6	US-PGPUB; USPAT; JPO	OR	OFF	2005/05/12 16:25
S6	8	((("5,926,690") or ("5,948,203") or ("6,161,054") or ("6,245,581") or ("6,424,417") or ("6,479,309") or ("6,486,492") or ("6,501,555"))).PN. or ((2002/0171828) or (2002/0072003) or (2003/0000922)).CCLS.	USPAT; USOCR	OR	OFF	2005/05/12 16:25
S5	0	S4 AND S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 16:24
S4	25	S3 AND (measur\$4 WITH dimension\$4 WITH optical\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 16:10
S3	495	S2 AND (measur\$4 WITH dimension\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 15:56